

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope [t@WestonSolutions.com]; Nonresponsive based on revised scope [Nonresponsive based on revised scope @westonsolutions.com]; R3 ESC-CLIENTS[R3_ESCCLIENTS@epa.gov]; Dodd, Jeff[dodd.jeff@epa.gov]
From: Poff, Kevin[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=CE5DA896C6A74A6A89F5D9E64B083492-KPOFF]
Sent: Fri 4/5/2019 11:56:30 AM (UTC)
Subject: SHILOH CHURCH ROAD SITE
Shiloh Church RAD ARF March 2019.pdf

Good Morning Christine,

OASQA received CT8661 Shiloh Church Road Site for a Radium 226/228 request. These samples are being sent to NAREL EPA located in Alabama and will require -as all analytical requests- a copy of the Field Sampling Plan listed under QA docs in order to proceed with the analysis. We will send the request to NAREL for their consideration in the interim. Thanks and if you have any questions please call.

Kevin Poff
Chemist
USEPA
Environmental Science Center
701 Mapes Road
Fort Meade MD 20755
410-305-2938

-----Original Message-----

From: R3 Clients
Sent: Thursday, April 4, 2019 5:38 PM
To: R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>
Subject: FW: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD SITE

From: Nonresponsive based on revised scope
Sent: Thursday, April 4, 2019 5:37:07 PM (UTC-05:00) Eastern Time (US & Canada)
To: R3 Clients
Cc: Nonresponsive based on revised scope Wagner, Christine; Nonresponsive based on revised scope Nonresponsive based on revised scope
Subject: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD SITE

Good Afternoon,

Attached is an analytical request form for Ra-226 and Ra-228 in drinking water sampling scheduled at Shiloh Church Road site for the week of April 22, 2019. Please contact me if you have any questions.

Thank you,

Nonresponsive based on revised scope
Weston Solutions, Inc
Nonresponsive based on revised scope

This email will be sent to the following EPA staff as part of the email group R3_Clients:

Burman, Jarmael <Burman.Jarmael@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>;
Costa, Karen <Costa.Karen@epa.gov>; Costas, Robin <Costas.Robin@epa.gov>; Fortune, Warren
<fortune.warren@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>; Payne, Patrick
<payne.patrick@epa.gov>; Poff, Kevin <Poff.Kevin@epa.gov>; Sassin, Pepa <Sassin.Pepa@epa.gov>

CONFIDENTIALITY: This email and attachments may contain information which is confidential and
proprietary. Disclosure or use of any such confidential or proprietary information without the written
permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify
the sender by return e-mail and delete this email from your system. Thank you.